

Initial references

392-05

379-06

27/113-72

Later references

ul 355-10 (1-5 & 9)

1906-07

(Municipal)

File No 207-

Serial Nos. 3-

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 3-11

Part B for October 1909

SUMMARY,

Water Supply to Serungapata
and Ganjam.

3. From the Priest of Nulbar, Mysore of N. 247 of 2.2.07
states that in the Govt order of the 19th Decr. last, Govt
have called for a project from the Chief Engr.
4. To - do of Chief Engr. N. 5110-1 of 12.3.07.
Records of the Govt with the observation that the early submission
of the project by the Chief Engr. is essential.
5. From the Chief Engr. N. 2116 of 23.3.07
states that the Mr. Engr. Water supply in has been requested
to prepare a project for the water supply to the town in the
vicinity of the P. P. P. and that, as no provision for the work
can possibly be made in the work of the P. P. P. there does not seem
to be any grant necessary for the submission of the project.

The Chief Engr. No. 8317 of 29.12.08

Forwards letter No 2554 of 22-12-08 from the San. Com.
submitting two alternative estimates for the water supply
for Sempapattam and Sanjam, one for a Pumping
Scheme and another for a Gravity Scheme amounting to
Rs 61,000 and Rs 89,543/ respectively and recommending
that as resolved by the Central Sanitary Bd, the
former Scheme may be sanctioned.

To the President of Mulla, Mysore No. 9555 of 24.09
states that the Chief Engr. has submitted two alternative
estimates as above and ^{recommends} that the former Scheme may be adopted,
and ~~recommends~~ ~~obviously~~ and makes certain observations in
the matter

From do No 1666 of 12-4-09

Requests that the proposal may be sent to him for
perusal and return

To - do. No 10612 of 26.4.09

Forwards estimates and plans for reference and return when
done with

From do No 708 of 27.4.09

Submits a copy of the Sempapattam and Bd's resolution
on the two schemes and states that the Board prefer the
gravitation scheme to Pumping scheme on the ground that
the annual maintenance charge of the water works and
makes certain ^{proposals} ~~suggestions~~ regarding to improve the resources of
the mulla,

R. S 11]

1906-07

GENERAL AND REVENUE SECRETARIAT

(Pub.)

NOTES.

File No 287-ib

FILE HEADING

Water supply to Sengapaham and Gargim.

from

The President of the M.C.S. Mysore 26-

No 527 Dated 2.2.07 Received 5.2.1907

Copy No 527 } Enclos - Spare Copies - { Serial No 3

BRIEF ABSTRACT OF LETTER.

states that in the S.O. of the 19th Decr. last
the Govt. have called for a proposal from the Chief
Engineer -

NOTES AND ORDERS

Letter sent.

Draft recording the report is
submitted to the 1st Councilor

Malang

26/2/07

2174

26 2 1907

2 - 1/1/07
27 1/1/07

23
25/2/07

NOTES—First sheet.

File No 287 of 1906

2

Serial
No.

3 To the President of the Madras Dykes
Dist. & the Chief Engr of Mysore
8110-1 & 12 3 1907

S

Records 813 with the observation
that the early intimation of the project
by the Chief Engineer is awaited.

4 From the Chief Engineer of Mysore
No 802116 & 23/31.207.

Algaum)

States that the Ex Engr of the Water
Supply & Stores Division has been re-
quested to prepare a project for the water
supply to these towns in consultation with
Mr Moore & that, as no provision for
the work can possibly be made in the
next year's P.W. Budget, there does not
seem to be any great urgency for
the intimation of the project referred to.

5 In para 4 of his letter No S 121
of the 11 8 1906 Col Smyth ^{brought}
to notice the necessity for an im-
mediate water supply. The Chief
Engineer reports that no provision
can be made for the work in the
coming year's budget. The question
of funds from which the cost of a
project has to be met remains

No 39957 & 16/11/06
No 392 057-10

Serial
No

to be settled ruled for orders
H.B. 5mg of the Dewan to the
4.4.1907 1st Commencement.

2543
8-4-07

6 Projects should always be made in
advance of funds available -
The fuller a list of ready projects
is, the more judicious is the selection
of the works on which limited
funds can be spent - 22/10/07

4512
24/11/07

7 The project may be
awaited. The DPM may
be asked to report it

29/5/07
Don under a copy
25/5/07

27/5

9 Draft order put up.
W.S. CO Done
27/5

20
7/6/07

10 The Ch Engr & the President of the
Mulkis, improved. No 11594-5870 6/07

Requests the Chief Engineer to
expedite the submission of the
project for the water supply.

T

File No 287 of 1906

u

Serial
No

to Serungapatam and Gungam

12 From the Ch Engr. Mysore
No 3359 of 18 5 1908

Forwards for information
copy of his letter No 3358 of 18 5 1908
to the Sany Com for forwarding
two alternative ^{amounting to Rs 61,000 & 89,543} projects for the
Water supply to Serungapatam
and Gungam for his opinion

13 Final Communication in
the matter from the Chief Engr
may be awaited

H. G. S. M.
25-5-08

Y. S. K. 2/6

~~Original~~
Serial 7379-06 (no 41-07)
4.1-8
with ML 392-05 841, 2, 3 and
L 113-02

Re: Report of Board

Sanitary improvements of the Serripalam Town was discussed at the Assembly this year. The reply of Govt was that the Central San'y Bd will be asked to hasten the subn of drainage & water supply projects. The Under Secy Mr Balasundaram Iyer said that urgent reminders should issue in this case.

In this connection the Secy observed that the water supply to Serripalam & Enjiam may be pumped up by an oil engine & the water filtered by Jewel filter & that whether local electricity can be made use of in supplying water. The Asst Secy directed that this enquiry should be made of the Chief Engineer.
H.M. 10 00 22/10/08
76 7 7 24 as please put up cases

6/ to the Chief Engr
24/10/08

15 Drafts of letters to the Sany Com
to the Ch Engr are put up

JK 27/10/08 Draft letter to the
Chief Engineer
24/10/1908 submitted for approval

1st Cr) 27-10-08

Ull

8561
28-10

17 Draft approved

29 Oct 08

18

Issue the drafts

30 10 08 Ull

19

To the Sany Comm: A: 40628 31-10-08

Requests him to expedite the submission
of the projects (1) for the water-supply to the Seringapatam
and Ganjam and (2) for the drainage of the Seringapatam
town

To the Chief Engineer A: 40638 31-10-08

Enquires whether electricity can be made
use of for supplying water to the Seringapatam
town and if it is not possible whether water
cannot be pumped up by an oil engine
and the water filtered by a Jewell Filter.

Routine Notes

[To be used only for notes, requisitions, etc., not intended for permanent record.]

D.N. 3359

26

From the Chief Engineer.

N. 7157 of 14-11-08

States that it is not necessary to use ~~extra~~ electricity for water supply to Serinapatnam, and that the project pending before the Sany. Comm. provides for pump up by an oil engine.

21

Submitted for orders. May prospects be awaited from the Sany. Comm. reminders being issued in time?

Obns 22 Submitted
w/ information - The receipt of the Sany. Comm. report will be awaited.
12 Cr) 23-11-08 Ullal

N.B.—Should routine notes be written on small Slips, the notes must be copied, or slips pasted on this form

23

23/11/08

1/11/08
2/ Please inform U.S. with the Dewan for Dewan's information
The 29 Nov 08

Routine Notes

[To be used only for notes, requisitions, etc., not intended for permanent record]

24 Forwarded to the
U. S. with the Dewan
11052
21.11.08 30 11 08 UUD

25 Seen by Dewan,
5 12 08

7077
07/12

UUD
7 12 08

26 The Sanitary Com
has not replied to this
office letter of the 31 82
Oct 1908 Another re
minder is now put

up. Issue
27 AM 7 12 08
Recd

N B -Should routine notes be written on small
slips, the notes must be copied on slips
pasted on this form

HL A

Serial
No

5-20 From the Chief Engineer. N^o 83178 29 12 08
- Forward letter N^o 25548 22 12 08 from
the Sany Comm^{te} submitting 2 alternative
estimates for the water-supply to the towns of
Serungapatam and Gangan one for a pumping
scheme and another for a gravity scheme
amounting to Rs 61,000 and 89 543 respectively
and recommending that as resolved by the
Central Sanitary Board the former scheme may
be sanctioned

29 In the Central Sanitary Board the Rev
Comm^{te} suggested the substitution of ~~an~~ ^{an}
condensed gas engine for ^{an} oil engine provided
in the estimate for pumping up water, the
working charges being stated to be very much
cheaper. The Central Sany Board left the
matter for the consideration of the P W D. The
Chief Engineer does not say anything on this
~~subject~~ point.

30 The Chief Engineer says that the
allotment of Rs 15,000/- provided for the work in
the current year's budget has since been proposed
to be resumed and utilized for famine works
~~except~~ ⁱⁿ his letter N^o Camp 568 22 11-08 to the
~~proposed~~ Financial Dep^y. There are thus
no funds available for the work during the
current year.

Serial
No

31 Branch II may be asked to state if the funds have been resumed and transferred to famine works as proposed by the Chief Engineer.

Submitted for orders

Obn. 32 Forwarded to Br II 7/11/09 for kindly ^{noted} information asked for above

8 1-09

Will

Submitted

400 33 Yes The allotment referred to has been resumed + used otherwise -

411

12 1-9

Submitted

34 The financial condition of the Srirangapatam Municipality is as follows:-

Opening balance on 1-7-08. - Rs 2,549

Receipts during 1908-09. - 9,640

Total 12,189

Expenditure - - - 10,904

Closing balance on 30-6-09 Rs 1,285

which is less than the prescribed minimum working balance by Rs 1,125 as shown in the margin. The Municipality is thus not in a position to spare any money for water supply.

Obn. 34

15/1

475
08/9
Jm
mdg

as 15/10/9
II 15 7 4
5/15/

475
2410
1285
1125

W. H. I.

File No. 287 of 1906

(11

Serial
No.

35 There are no funds available for the work in the current years budget. The alternative estimates received are submitted. If one of them be approved, Br II will be asked to note it for being brought up in connection with the next year's budget.

9444
13 1 1909

36 1st Cr) 16.1.09 M. H. I.
The pumping up alternative may be prepared & sanctioned with an instruction that the project be included in the list of urgent eligible projects to be considered in connection with the next DMR Budget -

37 DMR will put up a note explaining the extent to which the local Municipality can contribute in cash and borrowings towards the cost.

11.1.09
2.9.1

M. H. I. 28 Jan 09

M. H. I.
29.1.09

38 Note separately submitted
for 391 (with 12000/2.09)
Make provision in next year's budget
Meanwhile take Comptroller's opinion as to how much be

Serial
No.

he would fine a sabrant
show much as a loan

2/2/1909

232

12/2/1909
15-2-09

39 Forwarded unofficially to the Comptroller
for favour of opinion with reference to the
Dewan's order above recorded.

By Order,
H. M. S. S. S.
For Secretary
H. M. S. S.

At the Secy Finance

Please put up a note

27/2/09

200

A note explaining the extent to
which the local Municipality can
contribute in cash & borrowing
bonds the cost is stated to
have been put up or divided
by the Joint-Commissioner in
his note of 25-1-09. Please let
me see that note.

Briv

3.3.9

? was 680 1909

680-8

Serial
No

Is Ganjam a Separate Municipality? If
yes, its Financial Condition may be
noted. As regards the Seringapatam
Municipality, its detailed accounts
for 1906-7 & 1907-8 and the budget
estimates for 1908-9 may be put up

much
8131

41 4-
Submitted

Ganjam is not a separate Municipality
but is included in the Seringapatam Municipality.
The Municipal Accounts of 1905-06 and 1906-07 are
herewith put up. The accounts for 1907-08
have been sent to the Press and are not available
in the office. The budget estimates of the years
1907-08 and 1908-09 are also put up.

W. S. S. S.
15/3/09

Forwarded to Secy

11 3 09

20111

Sub
mt
42 1/3-

Of the two alternative schemes
it is the Pumping Scheme that is
proposed to be adopted. The Capital
outlay on the Scheme is estimated at
Rs 61,000 and the annual cost of
maintenance of the water works is
expected to be Rs 11.

	Serial No.	The financial condition of the Sernigapatam Municipality is shown in the Subjoined Statement				
		Year	Opening Balance Rs	Receipts Rs	Expenditure Rs	Closing Balance Rs
Actuals		1905-06	1031	8538	8937	632
		1906-07	632	9763	9513	882
Budget		1908-09	1285	9640	10904	1285

Taking the three years for which figures are given above, the Municipality has roughly an annual ^{average} expenditure of about Rs 9800 while its annual ^{average} income is only about Rs 9300. The condition is therefore practically one of chronic deficit and the balance to its credit is even insufficient for working purposes & is less than the prescribed minimum. The Municipality can, in such cases, neither afford to bear any portion of the Capital outlay nor find the money for the annual maintenance charges of the Water Supply Scheme and the repayment with interest of any loan which it may borrow for financing the said Scheme. Govt may grant one half of the initial Capital outlay as a free contribution & the other half as a loan but before the Municipality is able to pay it

Serial
No.

for the maintenance charges as also for the repayment of the loan, the question of its water supply has to remain unresolved. The Municipal Board may be told how the matter stands and what help Govt is willing to give them to provide Serinagapatam and Ganjam with a system of good water supply. The Board may also be informed that until the improvement in their finances is such as to enable them to provide for the annual maintenance charges and the repayment with interest at 4% of the loan of about Rs 30000 they will be obliged to borrow from Govt for financing the scheme. There is no chance of the water supply question being solved.

Jin (Sain);

15/7/19

C23

However much one may feel inclined to sympathize with & help distressed Serinagapatam the difficulty from the financial point of view seems very great. If it were a question of the initial expenditure only, the question

File No. 287 of 1906

4491

Serial
 No.

of exceptional interest might be thought of.
 But the annual maintenance charges of Rs. 6200
 seem to constitute an insuperable barrier between
 the people of Sempapattam and a satisfactory
 water supply. How much of this Rs. 6200
 can be expected from the water rate to be
 imposed? Before finally giving up the scheme
 as impracticable it may be worthwhile to ask
 the Dy Commr. to suggest means of improving
 the revenue of the Municipality & curtail
 expenditures in the directions so as to provide
 for the annual maintenance charges & some
 margin for repaying a loan. The details of the
 amount to be given as loan, rate of interest etc
 can be fixed after the Dy Commr's report is
 received.

II B 3 c
 5/16/13

15/8/19

15/8/19

P. J. O

Serial
No.

449 Submitted with the Comptroller's official
opinion

449/19 Please put up draft
17/3. calling for a report from
the Deputy Commr. as suggested by
the Fin Secy.

18 3.09

24/3/09

Draft put up.

449/19 Submitted for perusal
24/3 after the Fin. Secy's note may
the draft put up issue?

Secy 23.3.09

24/3/09

449 Put up for draft + submit to
Govt before issue

449/19

449

24/3/09

Draft put up.

449/19 Draft submitted for
24/3 approval

1st Cr 25.3.09

24/3/09

10284
-M/19

449 Draft approved 26/3/09

50 Issue

31 3.09

6 To the Pres^t of Municipal, Mysore St. No. 95858
2.4.09.

States that the Ch. Engr. has submitted
2 alternative estimates viz one for a pumping scheme.

Serial
No.

at a capital cost of Rs 61,000/- and an annual maintenance charge of Rs 62,00/- and also a gravitation scheme at a capital outlay of Rs 89,543 and an annual maintenance charge of Rs 12,00/- and recommends that the former scheme may be adopted; observes that the financial condition of the Serinapatnam Indry is not satisfactory its ordinary expenditure being more than its ordinary ~~revenue~~ revenue and the closing balance less than the prescribed minimum; and requests that before passing final orders on the subject the Pres^d may consult the P.W. Board and submit proposals for improving the revenue and curtailing the expenditure in various directions so as to provide for the maintenance charges amounting to Rs 62,000 and of some margin for repaying the amount of such loan as the Board may have to borrow for financing the scheme.

From the Pres^d of the Serinapatnam Indry, Mysore Dt.
No. 6654 of 12-4-09.

Requests that the projects may be sent to him for perusal and return.

The estimates together with the report ~~and other statements~~ accompanying them may be sent. So also the maps. Draft submitted 5th Issue
Dtn 2/4.

Serial No. 8

To the Pres^t of the Municipality, Mysore.
N^o 106123 26-4-09.

Forwards for reference and return the estimates and plans relating to the 2 schemes

9 From the Pres^t of the Municipality, Mysore.
N^o 708 27-4-09.

Submits a copy of the Seringapatam Municip^l Board's resolution on the 2 schemes for supplying Seringapatam & Ganjam water and states that the Municip^l Board prefer the Gravitation scheme to the pumping one ~~on the grounds~~ on the ground that the annual maintenance charge would be cheaper; that to meet the annual maintenance charge of the waterworks the Board propose to improve the revenue by (1) praying ^{the} Govt. to assign the land revenue of lands within municipal limits to the Municip^l; (2) levying a small water rate, (3) levying water on private house connections and (4) levying tolls; that the Board plead inability to pay any portion of the capital cost but are willing to contribute a small portion of the income expected from the new sources suggested above, and that the Municip^l are unable to suggest any reduction of the expenditure.

5 The Pres^t further states that the water supply question has been considered a desideratum by

all

Serial
No

about 1904 the Sernigapattam Mumb.
Board had expressed themselves in
favor of the graduation scheme as
being ~~the~~ less costly to maintain ^{though}
~~they~~ ^{the initial cost is greater than the annual} had no particular objection to
the other scheme if the Govt preferred it.
In their subsequent meeting they have
finally accepted the scheme by pointing
out the initial cost of the other scheme is
estimated at Rs 6,000 and its annual
maintenance charges at Rs 6200/-
as discussed by the Financial Com.
at Bangalore at the request of the Govt. The
Municipality with its chronic deficit is
not in a position to contribute towards
the Capital outlay. The Board is
however confident of being able to pay a
^{small portion of} the maintenance charges of Rs 6200/- a
year, and the ways and means suggested
by them are these:-

I To have Kandayane on lands
within Mumb. limits amounting
to about Rs 6565/- ^{credit} to Mumb. Fund
as at Bangalore -

II To levy a small water rate the
calculated at 3% on house tax
for arguments sake, will fetch "

Serial
No

Rs 100.

iii To levy fees for excess consumption of water. This will very probably fetch an insignificant sum.

iv To levy toll. The Board expect to realize Rs 5000/- annually from this source.

66 Thus, if all the above four proposals should be sanctioned, the Board would realize an additional income of Rs 11,660 annually. The first and the fourth proposals are now pending before the Govt for consideration being in different stages of submission. It may not perhaps be possible to sanction the 1st proposal and make over the Kandayam on land within municipal limits to the municipality. But if the levy of toll can be sanctioned, a sum of at least Rs 5000/- can be ~~sanctioned~~ expected from the municipality towards the maintenance charges of the water works. The Board feel unable to curtail the present expenditure.

Submitted for orders

M. S. S. 65 The propriety of permitting

14/8/09

Serial
No.

The Seringapatam Municipal Council to levy tolls as proposed by them has already been noted upon as being questionable and further communication with the President has been ordered -

1st Cr) 11 8 09 MLL

66 Government have promised a water supply scheme to the Seringapatam town. The Municipal Board as well as the Central Sanitary Board are in favor of the Pumping Scheme. This may be sanctioned.

67 The Municipality is quite unable to pay even a portion of the initial cost. The whole of it will have to come out of State fund. Neither is the Municipality in a position to borrow any money & repay it. The question of maintenance is also difficult ^{of solution}. The means

Serial
No

suggested by the Council
viz, to levy tolls on traffic passing
on a provincial road
within Municipal limits
and to appropriate all the
land revenue Rs 6568
within Municipal limits
to Municipal Exchequer,
cannot be accepted.
The Municipal Council
may be told that unless
they can improve the revenue
so as to be able to bear the
annual maintenance
charges fully the project
will have to be abandoned

2063
16/8/09
Deewan)

14/8/09
16/8/09

68
Ask Day to please put up a note
elucidating financial position
if the Municipal Board's proposal is
sanctioned; Circulate the file to Cio
& bring up at a Council meeting.

16/8/09
16/8/09

Be continue letter
Note - Contn. sheet.

File No 207 of 1906

Serial
No

69 The financial condition of the Serungabhattam Municipality as per Current year's Budget is as follows:-

i	Opening balance -	4392
"	Receipts -	10145
ii	Total -	14537
iii	Expenditure -	12037
F	Closing balance -	2500

Land Revenue
agrl lands within
limits - Rs 6568
Water tax Rs 100
- Rs 5000
Total Rs 11,668

If the Municipal Council's proposals should be sanctioned, there would be an additional income of about Rs 11,668/- to the Municipality

70 The pumping scheme is estimated to cost Rs 61,000/- and the annual working expenses come to Rs 6200/- It is decided that the Municipality should find funds both for the original outlay and the annual maintenance charge the sum of Rs 61,000/- will have, perhaps, to be advanced by Govt as a loan repayable in 20 years with 6 per cent interest In that case, the Municipality will have to provide in their Annual Budgets a sum of Rs 4488-38 towards repayment of the loan of Rs 61,000/- besides providing a further sum of Rs 6200/- towards working expenses

Serial
No.

An anticipated additional income of Rs 11,668/- the Semigapattam Municipality will have to provide a sum of Rs 10,608/- annually on account of the water supply submitted for orders

Md 2/9/09 11/2/9 71 The file may be circulated.

Secy) 3. 9. 09 Md

72 Yr 4/9.

73 Secy.

The additional income is apparently (1) grant of foot Revenue of lands, though apparently a large portion of them must be irrigated lands, ~~for which~~ whose ~~maintain~~ revenue the Munt can have no claim & (2) tolls not for the town traffick but for traffic merely passing through Is this really anything but a grant for foot ~~the~~ ^{the full cost of} maintenance?

7/9/9 Am
74. Include in agenda 4 to 9.09 2009 8-9

Facing sheet for
Cases included in
the schedule ap-
pended to Notifi-
cation No 36 of
the 8th Aug 1902

GENERAL AND REVENUE SECRETARIAT

26A

Subject— Scheme for water supply to the Seringapatam &
Gaujam.

Date	Initial of Officer himself or responsible Deputy

Received in the Secretariat

Submitted to Secretary

Submitted by Secretary to Dewan or
Councillor in charge

Returned to Secretary

Circulated by Secretary for Council

7 9 09

Forwarded by 1st Councillor

Seen by 1st C

Forwarded by 2^d Councillor

9 9 09

Received in Secretariat

8 1 09

Considered in Council

11 9 09

Submitted to the Dewan

14 9 09

Submitted to His Highness

Orders passed by His Highness

Final Orders issued

Circulated to Councillors

Passed on by the Councillor

Returned to Secretary by Councillor

9

GOVT
109

26B

GENERAL AND REVENUE SECRETARIAT

Council Matter

—
SUBJECT

15
Scheme for water supply to ~~the~~ Seringapatam & Ganjam.

CIRCULATED TO COUNCILLORS

7th September 1909

By Order

Chandersekhar
Secretary to Government

K P Puttanna Chetty, Esq
First Councillor

Seen by First Councillor

H V Nanjundayya Esq M A M I
Second Councillor

Extract from the Proceedings of the 238th Meeting
of the Council of His Highness the Maharaja,
held at Bangalore on the 11th September 1909.

II. Subject.-(Clauses 1 & iii of Schedule).

Scheme for water supply to Seringapatam and Ganjam.

O P I N I O N.

The Municipal Board of Seringapatam have expressed their preference for the pumping scheme, of which the initial cost is Rs.61,000/- and the annual maintenance charges Rs.6,200/-. The Municipality is quite unable to pay even a portion of the initial cost. In order to meet the maintenance charges, the Board propose (1) that the Government do make over to them the land revenue (amounting to Rs.6,568) recoverable from the lands situated within municipal limits, (2) that the Board be allowed to levy tolls on traffic passing through the Municipality (estimated to realise Rs.5,000 annually) and (3) that a small water rate be levied as also fees for excess consumption of water. (This may realise about Rs.100 per annum).

The Government cannot give the Municipal Board the assessment on lands within municipal limits, nor allow tolls to be levied on the traffic passing on provincial roads. The Board may be informed that as they cannot provide the necessary funds, the scheme must be abandoned, but that, if a practical alternative scheme providing ways and means to meet the maintenance charges is submitted, the question of waiving the whole of the initial cost can be again considered by Government.

"E x t r a c t"

Sd/- T. Ananda Row.

Dewan of Mysore.

Secretary to Government.

SRM-20-2423

Submitted to His Highness

28

I submit herewith the papers relating to the proposal to give improved water supply to the Seringapatam Municipality including Ganjam. Two alternative estimates have been submitted by the Executive Engineer, Water Supply and Stores Division, one for a pumping scheme (initial cost Rs 61,000, maintenance charges Rs 6,200 per annum), and the other for a gravity scheme (initial cost Rs 89,600, maintenance charges Rs 1,200 per annum). The Chief Engineer and the Central Sanitary Board consider that of the two schemes, the pumping scheme is preferable. The Municipal Board also agree to this, but they are quite unable to pay even a portion of the initial cost. In order to meet the maintenance charges the Municipal Board propose (1) that the Government should make over to them the land revenue (amounting to Rs 6,568) recoverable from the lands situated within Municipal limits, (2) that the Board be permitted to levy tolls on traffic passing through the Municipality (estimated to realise Rs 5,000 a year) and (3) that a small water rate, as well as fees for excess consumption of water be levied (This may bring in about Rs 100 a year.)

2 The question was considered in Council. The Council is of opinion that the Government cannot give the Municipal Board the assent on lands within Municipal limits nor allow tolls to be levied on the traffic passing on provincial roads and that the Board

may be informed that as they cannot provide the necessary funds, the scheme must be abandoned, but that, if a practical alternative scheme providing ways and means to meet the maintenance charges is submitted, the question of waiving the whole of the initial cost can be again considered by Government.

3. This may be approved.

ku

J. Mandak
15 Sep 05

730

30

**Record of Cases submitted for the Orders
of His Highness the Maharaja.**

29

25

21 9 09
498

Subject.

Scheme for water supply to Seringgaratam
and Ganjam.

Order.

Approved

KRM

21/1/09

213

479
23 9 09

22 9 09

22 9 09

24/9/09

20 please put up with it

26 9 09 2000

27

Serial
No

81 Draft submitted -

M.H. 1st Cr) 27.9.09 2111
26/9/09 M.H. 195/9 $\frac{411}{28.9.09}$

82

Approved M.H.

28.9.09

83

Issue

29.9.09 2111

- 4 84 G.O. No 3210-2 D 1 10 09
states that the assessment on
lands within the dumb limits cannot
be assigned to the dumb Council nor
can they be allowed to levy tolls on traffic
passing along the provincial road,
that as the Municipality cannot pro-
vide the necessary funds, the scheme
must be abandoned but that if a
practical alternative scheme pro-
viding ways and means to meet the
maintenance charges is submitted,
the question of waiving the whole of
the initial cost can be again con-
sidered by the Govt.

11/14

1906-07 (+)

From

The President Municipal Board
Mysore District

To

The Secretary to the Government
Saul & Co. Department

Dated

Despatched 6th Feb 1907

Received

General No 547
No

Enclosure No. 112

States that the Commission,
has been requested to prepare
& submit to said a project
for Water Supply to Seringapatam
and Mysore

No 547 Deputy Commr's office, D 6793
Mysore District
Mysore 2nd February 1906
4

Po.

Jul 207-06
813

12 S Chandra Sekhara Aiyar Esq,
B.A., B.L.,
Secretary to the Government
of Mysore
Revenue and Civil Departments
Bangalore

Per,

with reference to your
docket 18th 5322
Jul 207-06 2 of the 19th December 8/122
1906, intimating subject 18th 391 of 20 Bacc 1
A. Assembly proceedings of 1906 (water
supply to Perungapattam and Gampam),
I have the honor to state that in
para 2 of G.O. 18th 3995-7 Jul 392-05 10
of the 16th November 1906, the Chief
Engineer has been requested to cause
a project for the work to be pre-
pared and submitted to Government.
I have the honor to be
Sir,

Yours most obedient servant

W. S. Srinivasiah
President,
Municipal Board
Mysore.

G.R.S. 28]

2
File No 287-16

Serial No 4

Diary No of letter replied to 6793

Proceedings of the Government of His Highness
the Maharaja of Mysore

GENERAL AND REVENUE
SECRETARIAT
(Sub.)

READ —

the 21st Feb: 1907
No of issue 12-307

ed by Mr H O R

Letter No 547 dated the
22 February 1907 from the
President of the Municipal
Board in the Mysore District
Mysore, with reference to subject
No 391 re water supply to Seringa

~~Under Mysore~~
Haram and Gangam brought
forward at the Representative
Assembly of 1906, that
para 2 of the Local Progs
No 3925-7 dated the
16th (392-03-10) 1906 the Chief
Engineer has been requested
over

SUBJECT

to cause a project for the
work ^{to be} prepared and submitted
to Govt.

Order thereon 8110-1 0712-3-07
merit

Recorded ~~and~~ with the observation that

the early submission of
the projects by the Chief
Engineers is awaited.

27

22 25/2/07

For info

21/2/07

S,

The Presd of the M.C.C.,
Mysore Dist

~ Chief Engr of Mysore

24/6/07
21/3

2775
No 2116

287-06
D 8072
Mysore Public Works Department,
Central Office,
dated Bangalore 23rd March 1907

from,

W McHutchin Esquire, M I C E ,
Chief Engineer of Mysore,
B A N G A L O R E

To,

K S Chandrasekara Iyer Esquire, B A , B I ,
Secretary to the Government of
H H the Maharajah of Mysore,
General and Revenue Department
B A N G A L O R E

Sir,

With reference to Government Proceedings No 8110-1/1
287-06-4 of the 12th instant, observing that the early submis-
-sion of the project for the water supply to Seringapatam and
Ganjam is awaited, I have the honor to inform you that the Ex-
-cutive Engineer, Water Supply and Stores Division, has been
requested to prepare a project for the water supply to these
towns in consultation with Mr Bhole, who has been asked to
prepare a project for the drainage of these towns. As no provision
can possibly be made for these works in the next year's Budget,
Budget, which has been ordered to be reduced as much as possible
there does not seem to be any great prospect for the completion
of the project referred to

I have the honor to be,
Sir,
Your most obedient servant

W McHutchin

Chief Engineer of Mysore

Suo

322

File No ²⁸⁷/₀₆

Serial No

Diary No of letter replied to 8072Proceedings of the Government of His Highness
the Maharaja of MysoreGENERAL AND REVENUE
SECRETARIAT
(Mum)

the

190

Date of issue 10 6-07

Signed by

Muttia

READ—

Letter no 2116 of
23rd March 1907 from
the Chief Engineer of
Mysore stating with refer-
-ence to Govt Pro no 8110-1
of 12th March 1907 that ^{with 287/06} the
Executive Engineer, Water Supply
and ^{ORDER THEREON—No} Stone Division, has been
requested to prepare a
project for the water supply
to Serunyakatam and Ganyam
in consultation with Mr. Stone
and that as no provision for
the work can possibly be
made in the next year's P.W.
Budget

SUBJECT

cont'd 2/6 pp

there does not seem to be b 8012
any great urgency for the
submission of the
project referred to

Order thereon. - HS 945 ml 287-06-

910-607

The Chief Engineer
is requested to expedite
the submission of the
project referred to in
the above for the consideration
of the Board.

[Signature]
7/6/07
For Secretary.

[Signature] - 27/5/11

To

The Chief Engineer of

^{Myponz}
The President of the
Municipalities, Myponz

Wg.
2/5

[Signature]
9/6

No

3358

Mysore Public Works Department,
Central Office,

Dated Bangalore 18th May 1908

From,

W. Mc Hutchin Esquire, I. I. C. E.,

Chief Engineer of Mysore,

B A N G A L O R E

To,

Major H E Drake Brockman, I. A. S.,

Sanitary Commissioner with the Government
of His Highness the Maharaja of Mysore,

B A N G A L O R E.

Sir,

Σ With reference to Government Proceedings No 3995-7/1,
392-05-10 of the 16th November 1906, requesting that a project
for the water supply to the town of Seringapatam and Canals
be prepared for the orders of Government, I have the honor to
forward 2 alternative estimates submitted to the Executive
Engineer, Water Supply and Stores Division one, for a pump
scheme and another, for a gravity scheme amounting to Rs 61,
and 80,543 respectively. The merits of both schemes are
discussed in the report attached to the projects, the details
of which are also explained therein. I request that all
good enough to state as to which of the two projects is
selected for adoption and transmission to Government for
sanction, all things considered I am of opinion that the
pumping scheme is the better of the two and I have called
the Executive Engineer to ascertain whether an electrically
driven plant would not be more economical in view of the fact
that we are about to install an electrical plant at the

I have the honor to be,
Sir, your obedient servant

W. Mc Hutchin

T. A.

Wg 21/5 21/5

ML 287-06
8/1

78779

No 3359 dated Bangalore 18-5-1908

Cop. forwarded to the Secretary to Government of His
Highness the Maharaja of Mysore, General and Revenue Dep-
-ments, for information, with reference to correspondence
ending with this office 18th dated 21st instant

M. B. G. G. G.

G.F. 26]

See

File No
Serial No

Duty No of letter replied to _____

No. 4082
me

31-10-08

General and Rev Secretariat

(Recd)
the 190

To

The Sanitary Commissioner
with the Govt. of H. H. the
Maharaja of Mysore

Date of issue --- 31-10-08

Signed by W.K.M.

Sir,

ject for the Water
supply to Srirangapatam
Mysore.

Project for the
drainage of the Srirang
patam town.

I am directed to
request you to be so
good as to expedite the
submission of the
marginally noted two
projects which are said
by the Chief Engineer of
Mysore to have been
pending for a long time
with the Central Sanitary
Board.

Yours etc
O.C.S.

W.K.M.

SUBJECT

for Secretary
31.10.08

P. M. 2/10/08

List of enclosures,

Copied by

Examined by

MCCE-20,000-19-12-04.

10

File No
Serial No

Diary No of letter replied to _____

No. 4063
ml

931-10-08

General and Rev Secretariat

(Mumt)

, the

190

To

The Chief Engineer
of Mysore

Date of issue - 31-10-08

Signed by J. K. M.

Sir,

~~In connection~~
Referring to the
discussions at the
last Representative
Assembly meet the
drainage and water
supply projects of the
Seringapatam Municipality
I am to state that
the Survey Commr has been
requested to expedite the
completion of these
projects.

2 With reference to

0587.

SUBJECT

to the Water supply project
in question. I am to enquire
whether electricity can be
made use of in supplying
water to the town, and if
this be not possible whether
water cannot be pumped
up by means of an
oil engine, and the
water filtered by a
jewel filter. I am to
request the favour of
your early reply

Shavech

W

for Secretary
of 27/10

AM

24.10.1908

29/10/08

List of enclosures,

Copied by man
Examined by man

No

7157

12
MYSORE P W DEPARTMENT,

CENTRAL OFFICE,

BANGALORE, 14th November 1 1908

From

THE CHIEF ENGINEER OF MYSORE,

BANGALORE

23359

To

The Secretary to the Government

of His Highness the Maharaja of Mysore,

General and Revenue Departments,

SIR,

B A N G A L O R E

In reply to para 2 of your letter No 4062/M1
of the 31st ultimo, enquiring whether electricity can be
made use of in supplying water to the Seringapatam town &c,
I have the honor to inform you that the project for the
water supply pending disposal with the Sanitary Commission-
-er for pumping up by means of an oil engine and the water
filtered by Jewell Filters. It is not economical to use
electricity at this place

I have the honor to be,

Sir,

Your most obedient servant,

Robert James

Captain R. J.

Deputy Chief Engineer of

A P R

1/11/08

190

MYSORE P W DEPARTMENT

No

I

THE CHIEF ENGINEER OF MYSO

Ba

To

Dated Bangalore,

Despatched

Enclosure No

SUBJECT

G.R.S. 26]

See
Vice 17/07
X

13

File No.
Serial No.

Diary No. of letter replied to _____

No 5527
ml
9.12.08

General and Revenue Secretariat

(Municipal)
the 190

To

The Sanitary Com
with the Com of H.H.
the Maharaja of Mysore

Date of issue 8.12.08

Signed by M.C.V. Rao

Sir,

In inviting attention
to this office letter No 4062
of the 31st Oct 1908 I
am to enquire when the
Drainage and Sanitary
projects of the Srirang
patnam Municipality
may be expected in office.
It would appear that
these projects have been
pending long before the
Central Sanitary Board

OPEN

I have etc

SUBJECT

H.M.
7.12.08

Secretary
27.12.08


Approved
208 8/12

List of endnotes

Copied by

Examined by

GFB-10,000-00-00.



Sanitary Commissioner,
to the Government of Mysore
Bangalore

4471

8317. 27/29/12/08

Passed on to the Secretary to Govt.
General and Revenue Departments,
with reference to correspondence and
with this office no 8007 dated
this 17th inst.

2 The allotment of Rs 15000 pro-
-vided for the work on the
current year's P W Budget has
since been prepared to be re-
-sumed, and authorized for
further work - and this office
has no 84 dated 22nd inst.
to the Government Department

M. W. D. S.

Chief Secy of Mysore

26/12/08.

Enc 11

To K F Chandrasekhar Esq Esq B. A.,
The Secretary to the Govt of H H the
Maharaja of Mysore, Gen. & Rev Depts
through the Chief Engineer Bangalore

Dated } in Mysore

Despatched } 22-12-1908

Received

General No 2554

Enclosure No 21

Forwarding 2 alternative
alternatives for the water
supply to the towns of
Sringeri and
Gangam

Department of Public Health in Mysore.

No. 2554 OFFICE OF THE SANITARY COMMISSIONER IN MYSORE,
Ent. 21

Bangalore, Dated the 22 - 12 - 1908

From

Lt. Col. John Smyth, M.D., I.M.S.,
Sanitary Commissioner to the Government of
His Highness the Maharaja of Mysore,
BANGALORE

To K. S. Chandrasekhara Iyer Esq, B.A., B.L.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
Thro Mr. W. H. Hutcheon Esq. J. & C. BANGALORE
Chief Engineer in charge
ml-287-56
Sl-5

Sir,
ml-287-56
Sl-5

I have the honor to forward herewith 2 alternative estimates for the water supply to the towns of Seringapatam and Ganjam, one for a pumping scheme and another for a gravity scheme, amounting to Rs. 61,000 and 89,543 respectively and to recommend that, as resolved by the Central Sanitary Board (copy of the Resolution enclosed) you will be so good as to obtain the sanction of Government to the former of the two schemes, at an early date.

I have the honor to be,

Sir,

Your most obedient servant,



M.D.,
Lt. Col. I.M.S.,
Sanitary Commissioner to Mysore
Govt.

G.S. 26]

11691

^{See}
Fair draft 16

File No

Serial No

6

Diary No of letter replied to _____

General and Revenue Secretariat

(*ml*)
the

190

To

The Pres^t of Municipal,
Mysore St

Sir,

Date of issue *2.10.09.*

Signed by *Mr K.M.*

Pro N^o 8110-1/2nd 287-06-48
12-3-09

11594-5/2nd 287-068
10-6-09

Adverting to the Progs of
Govt. noted in the margin, regarding
the water-supply to the towns of
Seringapatam and Gangam, I am directed
to state that the Ch: Eng^r has since
submitted 2 alternative estimates
viz. one for a scheme for pumping
up and supplying water at a capital
outlay of Rs 60,000/- and an annual maintenance
charge of Rs 6,200/- and another for
supplying water by means of
gravitation at a capital outlay
of Rs 89,543/- and an annual
maintenance charge of Rs 1,200/-
and recommends that the former

SUBJECT

scheme may be adopted.

2. It is observed that the financial condition of the Seringapatam Municipality is ~~in any way~~ ^{is not} satisfactory, and its ordinary revenue is even insufficient for meeting the ordinary expenditure and the present closing balance is less than the prescribed minimum. The Municipality can, in such circumstances, neither afford to bear any portion of the capital outlay nor find money for meeting the annual maintenance charges of the water supply scheme and the repayment with interest of any loan which it may borrow for financing the said scheme.

Last of enclosures

3. Before passing final orders on the subject, I am directed to request you to be so good as to consult the Municipal Engineer and submit proposals for improving the revenue of the Municipality and curtailing the expenditure in ~~other~~ various directions so as to provide for the annual

Copied by
Examined by

S 27]
GENERAL AND REVENUE
SECRETARIAT

(Continuation Sheet draft form.)

*After
30/10/07*

14
maintenance charges amounting
to Rs 200/- and some margin for
repaying the amount of such loan
as the Board may have to borrow
for financing the scheme.

I have, Sir,
Yours,
For Secretary
Jm 10/10/07

OFFICE OF THE PRESIDENT OF DISTRICT AND
MUNICIPAL BOARDS, MYSORE DISTRICT,
Dated, Mysore 12th April 1909

19

My Dear Sir,
President of District and
Municipal Boards, Mysore District

My Dear Sir,
Government,
General and Revenue Departments

ml 257-53
sl-7

In reference to your letter No. 9585 of the
ml 257-53 of the
April 1909, stating that two projects for supply
also to the Serirangabatom and Ganjam
are ready, I have the honor to request
the said projects may kindly be sent to
office for the information of the Municipal
and as to well as for my perusal. They will
returned when done with.

I have the honor to be

Sir,

Yours most obedient servant

S. B. Khatke

for President Municipal Board
Mysore District

My Mr 21st

1905-1909 9/32

From

Mr. Kumbharaji W. Esq., B.
President of District and
Municipal Boards, Mysore District.

To

K. S. Chandra Sekhara Esq., B.
Secretary to Government,
General and Revenue Departments

Dated 12th April 1909

Despatched 13

Received

General No 666 A
No.

Enclosure No.

Subject.

Requesting to send the proposals
for the water supply to Saurangpale
and Ganjam Towns for the information
of the Municipal Board etc

File No. 287
Serial No. 8

ed to 7320

No. 10612
ml 287-06-
27.6.4.09.

secretariat

C,

190

To

The Pres^{dt} of Municipal,
Mysore St.

26.4.09.
M.D.M.

on the 2
th the
statement.
(number).
concerning
date.

a Central
Board

and letter

of 22-12-08.

relating to
the projects
(in number)

As requested in his letter of
22.12.08, has the honor
to forward herewith, for reference
and return when done with, the
marginally noted ^{original} papers relating
to the water supply projects
of the Srirangapatna & Ganjam towns,
received with Ch. Engr's memo
No 8312 of 29-12-08.

By Order

Mull

For Secy.

27.1.19.

SUBJECT

P
14/4

W 43/4 11/3/09 830/12
1908-1909

221
6/8

From

M. K. K. K. K. K. Esq, B.A.
President of District and
Municipal Boards, Mysore District

To

K. S. C. C. C. C. Esq, B.A. B.L.
Secretary to Government,
General and Revenue Departments

Dated 27th April 1909

Despatched 28th

Received

General No. 708
No.

Enclosure No

Subject

Regarding the water supply
projects of Srirangapatna
and Gangavathi.

No. 2
En el nombre de Nro.

OFFICE OF THE PRESIDENT OF DISTRICT AND
MUNICIPAL BOARDS MYSORE DISTRICT,

Dated, Mysore 27th April 1909

From

~~In-Transit~~ ~~Yan~~ King of the

President of District and

Municipal Boards, Mysore District

To

~~K. S. Chandra Sekhara Aiyar~~ Esq, B.A. - B.L.
Secretary to Government,
General and Revenue Departments

Sir,

187-56

With reference to your letter No. 9585 of the
April 1909, regarding the water supply project
of the Sourangapatam Town, I have the
honour to submit herewith a copy of the local
Municipal Board's proceedings dated 17th April 1909, recording its opinion on the
subject. The Municipal Board prefers the
second of the two projects referred to in
your letter under reply (i.e. supplying water
by gravitation) on the ground of its cheap
annual maintenance charges, but it has
objection if the Government decide to pump
water by pumping alone.

2. To meet the annual maintenance

of the

of the water-works, the Board proposes —

37-88) ① to pray Government to make over to the Board the land revenue from the lands within its limits (2) to levy a small water-rate (3) to levy water tax on the houses which will be given private connections and (4) to levy tolls

The Board further pleads its inability to bear any portion of the Capital cost required for the water works; but at the same time is willing to contribute a small portion from the income which is expected from the new sources referred to above

3 The question of supplying water to the inhabitants of Sourangapatam and Ganjam has been considered a disorder by all the authorities, and when the details of the projects I have asked for in my letter No 666 of the 13th April 1909 are received here, I shall submit my opinion as to which of them is preferable. The prayer of the Municipal Board suggesting the ways for the improvement of its income deserves

deserves consideration at the hands of
Government

4 The Municipal Board is unable to
suggest any reductions on the expenditure
side, as it at present exists.

I have the honor to be,
— Sir,

Your most obedient servant



 President Municipal Board
Mysore District

U

— १०७ —

சென்னை - திருச்சி - திருவாரூர்

— १७७ —

— ३ —

- ಹಗ್ಗಿ ಒಬ್ಬ ನಾಯಕ ನಾಯಕ ನಾಯಕ ನಾಯಕ ನಾಯಕ

20

ॐ नमो भगवते वासुदेवाय

- ನಾ ೧೩-೧-೨೦೧೬-೪ ನ ತರಗತಿ ೧೦ ಕಂಪೌಂಡ್ ಕ್ಲಾಸಿಕ್

ನಾಗರ ಕರಣರಾಯರ ಪತ್ನಿಯ ವರದಿ

ಪ್ರಾಚೀನ ಕವಿಗಳ ಸ್ಮಾರಕ

ಕೂಡಿಸಿ. ಪಾಪಿಗಳನ್ನು ಕೂಡಿಸಿ

२३-१०-१९७३ दिनांकक तहसिलदार कार्यालय, मु. नं. ३०३३

5-10-1944

అంతా కలిసి కృష్ణానది వరకు

మనస్సును తమ వశమైతే

ಆದಾ ಪಂಕ್ತಾ ಶ್ರುತಾ ನವರಾ ಪೂಜಾ

ಕರ್ನಾಟಕ - ಸಾಹಿತ್ಯ ಪರಿಷತ್

ಶ್ರೀ ಮಹಾಕವಿ ವಿದ್ಯಾಭಿಷೇಕ ಕವಿಗಳ ಸಂಪಾದನೆ

ಶಿವಶಂಕರವಿಠಲ - ಮುಖ್ಯ ಸಾಕ್ಷಿಗಳು

ಕರ್ತವ್ಯವೇ ಮೊದಲಾದವುಗಳಿಗಿಂತ ಮೇಲೆ

ದೀಕ್ಷಾಂಶುಕವೇಶ್ವರೇನಾ
ವಿಶ್ವೇಶ್ವರೇನಾ ವಿದ್ಯಾಪೀಠಾಧ್ಯಾಪಕಾಃ
ಪ್ರಾಚಾರ್ಯಾಃ ಸಾಧುಃ
ಜ್ಞಾನಾಪೂರ್ವಕವಾದಿಃ
ನಾ ನಾ ನಾ ನಾ ನಾ -

ಶ್ರೀಮದ್ವಿಷ್ಣುಃ
ಅಥ ವಿದ್ಯಾಪೀಠಾಧ್ಯಾಪಕಾಃ
ವಿದ್ಯಾಪೀಠಾಧ್ಯಾಪಕಾಃ
ವಿದ್ಯಾಪೀಠಾಧ್ಯಾಪಕಾಃ

(Sd/-) Ven. K. K. K.
Vice President

or

copy "

Shri. K. K. K.

for President Beneficial Board

2

by one person

123
5/10
11/12/10
5/10

1909-1910

From

M. Kanta Rao Esq, B.A.
President of District and
Municipal Boards, Mysore District

To

S. Balasubrahmanyan Esq, B.A.
Secretary to Government,
General and Revenue Departments

Dated 13th

Despatched 13/8/09

July 1909

Received

General No 91
No

Enclosure No

*2 files of papers
sent Separately by post*

Subject

*Submits original papers rela-
ting the water supply pro-
jects of the Serinjapatam
and Ganjan Dams*

9930
No 91
Enclosure No 2 files

Plan K

26

OFFICE OF THE PRESIDENT OF DISTRICT AND
MUNICIPAL BOARDS, MYSORE DISTRICT
Dated Mysore 13th July 1909

From

M. Hanthasay Urs Esq, B.A.

President of District and

Municipal Boards, Mysore District

To

C. S. Balasundaram Esq, B.A.

Offg Secretary to Government,

General and Revenue Departments

Sir,

ml 287-86
sl-10

I have the honour to retransmit ~~here~~
- with the ^{*}marginaly noted original papers
relating to the water-supply projects of
the Seringapatam and Ganjam Towns, received
with your docket no 10612 of the 26th April
1909
ml 287-86-8

2 In my letter of the 11th May 1909, I requested
the Executive Engineer of the Water-supply and
Stores Division to kindly explain in person to
the Municipal members the difference
existing between the two projects, on any
day he finds convenient. He has not had even
the ordinary courtesy to acknowledge my
letter till now. On the 22nd June 1909
I directed the Vice President to hold a
meeting of the Board and submit its views.
The Board wishes to adopt the pumping

27

System in preference to one by gravitation
2 (Vide copy of proceedings of 3 7. 1909 enclosed)

3 I request you to be so good as to obtain the
orders of Government on the subject at
a very early date

I have the honour to be,
Sir,

Your most obedient servant

S. Ankaiah Sastry

For President of Municipalities
Mysore District

x

- 1 Estimates for the two projects with the necessary statements (13 in number)
 - ✓ 2 Report accompanying the Estimate
 - ✓ 3 Proceedings of the Central Sanitary Board
 - ✓ 4 Sanitary Commissioner's letter - No 2554 dated 22nd December 1908
 - ✓ 5 Plans relating to the above projects (5 in number)
 - 6 One extract of Seringapatam Municipal Board's Proceedings of 3 7 '09
-

